
5 form-scaff



5 form-scaff



Form-Scaff is South Africa's leading supplier of formwork, falsework and scaffolding to the construction and civil engineering industries. Form-Scaff not only manufactures, hires and sells world-class products, but also provides the design skills, technical advice and support that comes with having 50 years experience and more than 30 branches locally and internationally.

This indigenous expertise is complemented by the international depth and breadth of its holding company, Waco International, a leading global commercial and industrial service business focusing on the manufacturing, rental and sale of formwork, falsework and scaffolding equipment as well as the burgeoning re-locatable and modular buildings industry. Waco International operates in Africa, the UK, Australia, New Zealand and Chile.

Form-Scaff is a division of Waco Africa (Pty) Ltd, a joint venture company owned by Waco International and respected local black empowerment company, Kagiso.



Disclaimer

Copyright in this catalogue vests in Form-Scaff, a division of Waco Africa (Proprietary) Limited ("Form-Scaff") and extends inter alia, to the making of copies in whole or in part without the prior written consent of Form-Scaff.

While every effort has been made to ensure the accuracy of the information in this catalogue, we cannot accept responsibility for any errors which may occur as a result of reliance on the contents of this catalogue and are not liable for any loss of any nature that may be incurred as a result of such reliance. Details of any of the products may change without prior notice.

The customer must ensure that 'good practice' is adopted on site by competent persons and that the products shown in this catalogue are erected, used and stripped in accordance with the relevant Codes of Practice and the OHS Act and Regulations 85 of 1993. This catalogue does not contain any design detail but lists and depicts the items available under this product range. The responsibility for design is the responsibility of the customer.

Note: The colours used in this document are for illustrative purposes only and may differ on actual products

Contents



columns

Page 2 Column Boxes Overview Page 3 Column Boxes General Assembly Circular and Rectangular Column Boxes Page 4 Column Box Sundry Items Page 5 Column Box Propping System Page 6 Page 7 Column Box Ties Column Box Application Page 8 Adjustable Column Box Page 9

Page 10 Adjustable Column Box ApplicationPage 11 Adjustable Column Box Sizes

Page 12 Column Box Clamp Application

Contact Details

Page 13 Head Office & Branches













columns



Columns


Form-Scaff has been manufacturing and supplying various column box systems to contractors for the last 50 years. The systems have proven to be versatile and produce high class concrete surface finishes. Form-Scaff is able to produce any shape column boxes to suit the aesthetic and structural requirements of engineers & architects.

System Features

- Quick and easy to assemble and strike.
- Easy to plumb.
- Components are lightweight and easy to manhandle.
- A large variety of shapes & sizes are available.
- Walers and soldiers are not required due to the robust built in stiffeners.
- The column boxes may be extended horizontally and or vertically to suit the customers requirements.
- Ties are only required when two or more column box panels are used side by side.
- The column boxes conform to all South African standards and regulations



General Assembly



Column Boxes

Circular Column Boxes

Circular Column Boxes are used to form circular concrete columns and the bull-nose ends of concrete columns and walls.

CODE	DESCRIPTION	MASS(kg)
5705033	COLUMN BOX CIRCULAR 3000 x 600	202.5
5705034	COLUMN BOX CIRCULAR 3000 x 550	189.0
5705035	COLUMN BOX CIRCULAR 3000 x 500	175.4
5705036	COLUMN BOX CIRCULAR 3000 x 450	147.6
5705037	COLUMN BOX CIRCULAR 3000 x 400	134.6
5705038	COLUMN BOX CIRCULAR 3000 x 350	121.5
5705039	COLUMN BOX CIRCULAR 3000 x 300	108.5
5705157	COLUMN BOX CIRCULAR 3000 x 230	88.6

^{*} Other diameters and lengths are also available. Please contact your nearest branch for more information.




Rectangular Column Boxes

Rectangular Column Boxes are used to form square or rectangular shaped concrete columns.

CODE	DESCRIPTION	MASS(kg)
5505027 5510027 5505029 5510029 5505031 5510031 5505032 5510032 5605017 5605019 5605022 5605024	COLUMN BOX A TYPE MAIN SIDE 3000 × 600 COLUMN BOX A TYPE SMALL SIDE 3000 × 600 COLUMN BOX A TYPE MAIN SIDE 3000 × 450 COLUMN BOX A TYPE MAIN SIDE 3000 × 450 COLUMN BOX A TYPE MAIN SIDE 3000 × 300 COLUMN BOX A TYPE SMALL SIDE 3000 × 300 COLUMN BOX A TYPE SMALL SIDE 3000 × 225 COLUMN BOX A TYPE SMALL SIDE 3000 × 225 COLUMN BOX A TYPE SMALL SIDE 3000 × 225 COLUMN BOX C TYPE 3000 × 600 COLUMN BOX C TYPE 3000 × 450 COLUMN BOX C TYPE 3000 × 300 COLUMN BOX C TYPE 3000 × 230	105.0 85.1 74.7 59.0 60.1 44.4 52.8 37.1 101.7 83.4 60.9 53.2

^{*} Other widths and lengths are also available. Please contact your nearest branch for more information. Form-Scaff's Econo-Form Panels can also be used as column boxes when used in conjunction with the Column Clamps shown on pages 5 & 12. For details on Econo-Form, please refer to the Form-Scaff Econo-Form Product Catalogue.

A Type Column Boxes are only manufactured for sale.





Plastic Buttons

Plastic Buttons are used to plug any unused tie holes.

CODE	DESCRIPTION	MASS(kg)
5127001	ADJUSTABLE COLUMN BOX PLASTIC BUTTON	0.02
2960811	BUTTON 18MM DIA	0.01



Fillets

Fillets are used to chamfer the sharp corners of concrete columns.

CODE	DESCRIPTION	MASS(kg)
5520302	TRIANGULAR PLASTIC FILLET 25 x 25 (PER M)	0.2
5520305	TRIANGULAR STEEL FILLET 25 x 25 (HOLLOW)	1.0
5520307	TRIANGULAR PLASTIC FILLET 20 x 20 PUNCHED	0.3



PMI Wedge Sets

PMI Wedge Sets are used to join the edges of Column Boxes together.

	CODE	DESCRIPTION	MASS(kg)
Ľ	5595998	PMI WEDGE ASSEMBLY (WITH CHAIN)	0.5



Wedge Sets

Wedge Sets are used to join the edges of Column Boxes together.

	CODE	DESCRIPTION	MASS(kg)
l	2715555	KEY (HD)	0.1
L	2715556	WEDGE CURVED (HD)	0.1
L	2715552	WEDGE BENT CLIP	0.1
L	2715553	WEDGE ONLY (STRAIGHT)	0.1
L			



Column Clamp

Column Clamps are used as substitute walers when Econo-Form and Timber Column Boxes are used.

	CODE	DESCRIPTION	MASS(kg)
l	5595996	COLUMN CLAMP ARM ONLY NO. 3 (WITH WEDGE)	7.0
l	5595995	COLUMN CLAMP ARM ONLY NO. 2 (WITH WEDGE)	4.4
l	5595994	COLUMN CLAMP ARM ONLY NO. 1 (WITH WEDGE)	3.6
l	5595997	COLUMN CLAMP WEDGE	0.3
L			



Propping

Push-Pull Props

Tifa Push-Pull Props and Tifa Prop Ties are used to plumb the column boxes.


The Tifa Swivel Foot is used at the base of the Push-Pull Props and Prop Ties to connect the ends of the Props together.

Tifa Connecting Pins 16 \times 90 complete with R-Clips are used to connect a Prop to the Column Box and to the Swivel Foot.

CODE	DESCRIPTION	MASS(kg)
5110100	TIFA PROPTIE H/D	8.4
5110022	TIFA PROP 5700 (PUSH-PULL)	63.3
5110201	TIFA PROP 4200 (PUSH-PULL)	23.0
5110024	TIFA PROP 3100 (PUSH-PULL)	16.6
5110007	TIFA PROP 2500 (PUSH-PULL)	14.0
5110008	TIFA SWIVEL FOOT 200 x 150	3.4
5110021	TIFA SWIVEL FOOT 300 x 250	7.6
5110090	TIFA CONNECTING PIN	0.2
5110059	R-CLIP	0.01



Application - Prop Assembly





Dywidag Tie Bar

Dywidag Ties are recoverable ties used through tie sleeves.

CODE	DESCRIPTION	MASS(kg)
5405077	DYWIDAG BAR 15mm 500	0.7
5405078	DYWIDAG BAR 15mm 1000	1.5
5405079	DYWIDAG BAR 15mm 1500	2.2
5405085	DYWIDAG BAR 15mm 2000	2.9
5405086	DYWIDAG BAR 15mm 2500	3.6
5405087	DYWIDAG BAR 15mm 3000	4.3
5405088	DYWIDAG BAR 15mm 3500	5.1
5405089	DYWIDAG BAR 15mm 4000	5.8
5405092	DYWIDAG BAR 15mm 4500	6.5
5405093	DYWIDAG BAR 15mm 5000	7.2
5405094	DYWIDAG BAR 15mm 5500	8.0
5405095	DYWIDAG BAR 15mm 6000	8.7



Dywidag Nuts

The Dywidag Combi Wing Nut, Wing Nut & Washer or Diwidag Nut and Washer combinations can be used with the 15mm Dywidag Bar.

	CODE	DESCRIPTION	MASS(kg)
l '	5110032	TIFA WING NUT	1.8
	5110035	WASHER 100 x 100 x 6	0.5
	5110150	DYWIDAG COMBI WING NUT	1.1
	5405076	DYWIDAG NUT 15 DIA	0.2



Form-Tie Bar

Form-Ties are recoverable ties used through tie sleeves.

CODE	DESCRIPTION	MASS(kg)
5405070	FORM-TIE BAR F20 (PER M)	2.5
5405061	FORM-TIE BAR F16 (PER M)	1.6
5405072	FORM-TIE BAR F12 (PER M)	0.8



Form-Tie Nut

Form-Tie Nuts are used each end of the Form-Tie.


	CODE	DESCRIPTION	MASS(kg)
l	5405071	FORM-TIE NUT F20	0.5
L	5405062	FORM-TIE NUT F16	0.2
	5405073	FORM-TIE NUT F12	0.1




Form-Tie Pad & Washers

The Form-Tie Pad acts as a washer between the Form-Tie Nut and the Panel.

Π.			
	CODE	DESCRIPTION	MASS(kg)
	5855602 5405064	80 x 80 x 6 WASHER FORM-TIE PAD F8 (FOR F16 TIE)	0.3 1.2



Application - Column Types



Adjustable Column Box



Adjustable Column Panels

Adjustable Column Panels are used to form the vertical sides of concrete columns and provide a range of column sizes from 150mm to 600mm

CODE	DESCRIPTION	MASS(kg)
5127000	ADJUSTABLE COLUMN BOX PANEL 2700	107.3
5127010	ADJUSTABLE COLUMN BOX PANEL 1200	56.0



Working Platform

The Working Platform with foldable legs is attached onto the top of the Adjustable Column Panels.

	CODE	DESCRIPTION	MASS(kg)
l	5127003	ADJUSTABLE COLUMN BOX PLATFORM	30.3



Guardrail

The captive Guardrail may be is secured on three sides of the Working Platform.

ſ			
l	CODE	DESCRIPTION	MASS(kg)
l	5125064	ADJUSTABLE COLUMN BOX GUARDRAIL	6.4



Bolt Sets

The Bolt Sets are used to connect two Adjustable Column Panels together to form wider or taller Column Boxes.

Γ			
	CODE	DESCRIPTION	MASS(kg)
	2966049	M20 x 40 BOLT, WASHER & NUT SET	0.1



Adjustable Column Panel Fillet

Fillets are used to chamfer the sharp corners of concrete columns.

The Adjustable Column Box (ACB) fillet simply clips onto the Column Panel

CODE	DESCRIPTION	MASS(kg)	
5127004 5127001	A.C.B. PLASTIC CORNER FILLET (25 x 25) ADJUSTABLE COLUMN BOX PLASTIC PLUG	0.3 0.02	




Application - Adjustable Column Box






Application - Sizes

The Standard Size Columns that can be formed with a Single Panel Box are: 150mm, 230mm, 300mm, 350mm, 400mm, 450mm, 500mm, 550mm, 600mm.



Retractable Lifting Point

Application - Column Clamps



Contact Directory

5 form-scaff

International Branches

Botswana - Gaborone

Plot 31364, Gaborone North, Gaborone, Botswana

+267 396 2000

Eswatini - Matsapha

36 Ingaja Street, Matsapha, Eswatini +268 2518 8360

Ghana - Accra

Plot 29, Off Spintex Road, Tema Motorway Industrial Area, Accra, Ghana

+233 303 973 722

Mauritius - Port Louis

72201, Petit Camp, Phoenix (Near Bagatelle Dam), Mauritius +230 286 6176 / +230 5940 2551

Mozambique - Maputo

Belulane, Parcella 15988, Boane Matola Rio, Maputo, Mozambique +258 84 163 8905

Namibia - Windhoek

Cnr Nickle & Michelle, McClean Street, Prosperita, Windhoek, Namibia +264 61 425 350

Tanzania - Dar es Salaam

Cnr Mwaikibaki Road & Kilimani Close Plot 1034/5 Mbezi Kawe Dar es Salaam, Tanzania +255 74 299 8022

Zambia - Kitwe

12867 Chingola Road, Saloba Business Park, Chimwemwe, Kitwe, Zambia +260 966 880 009

Zambia - Lusaka

Plot 397 A/3/B Kafue Road Lusaka, Zambia +260 968 491 061

Zambia - Solwezi

Suite 12, Kansanshi Road, Plot No 2945, Solwezi, Zambia +260 768 935 762 **South African Branches**

Ballito

Labora Terra Industrial Park Shakas Rock Road, Umhlali Ballito, KwaZulu Natal +27 (0) 32 947 9430

Bloemfontein

26 Tibbie Visser Street Estoire, Bloemfontein Free State +27 (0) 51 432 5555

Cape Town

6 Rondevallei Road, Hagley Kuilsrivier, Cape Town Western Cape +27 (0) 21 528 6500

Durban

16 Stroude Place, Prospection Isipingo, KwaZulu Natal +27 (0) 31 902 2677

East London

5 Ray Craib Crescent, Beacon Bay North Beacon Bay, Eastern Cape +27 (0) 43 748 2558

Emalahleni

Stand 64, Geodesic Crescent Marelden Ext 3 Mpumalange +27 (0) 13 690 2833

George

10 Ring Road, George Industrial George, Western Cape +27 (0) 44 695 0204

Ggeberha

4 Kendle Street Neave Industrial Area, Eastern Cape +27 (0) 41 453 2317

Kathu

33 Kalk Street, Industrial Area Kathu, Northern Cape +27 (0) 53 723 2194

Margate

Airport Park, Links Road Margate Ext 3, KwaZulu Natal +27 (0) 39 317 1708

Mbombela

Erf 379, Rocky Drift White River, Mbombela +27 (0) 13 758 1036

Midrand

Poplar Crescent, Lords View Industrial Park, Klipfontein Chloorkop X66, Gauteng +27 (0) 10 601 6313

Newcastle

6 Schonland Street Riverside Industrial Area Newcastle, KwaZulu Natal +27 (0) 34 375 7697

Polokwane

62 Goud Street, Laboria Polokwane Ext 8, Limpopo +27 (0) 15 293 0450

Richards Bay

111 Alluminia Allee St, Alton, Richards Bay KwaZulu Natal +27 (0) 35 751 1140

Rustenburg

3 Ferro Street, Rustenburg North West Province +27 (0) 14 538 2540

Head Office

181 Barbara Road, Elandsfontein, Gauteng Tel +27 (0) 11 842 4000



Waco Africa / Head Office: 181 Barbara Road, Elandsfontein, Gauteng Tel: +27 (0) 11 842 4000



